



DEKLARASYON POU SIPÒ

Etikèt Avètisman NYC pou Sik Ajoute yo

Nou menm ki siyen anba dokiman sa a, mande pou Konsèy Minisipal nan Vil New York la egzije pou yo mete ikòn avètisman pou sik ajoute yo sou afich ak tablo ki gen meni chèn restoran yo, pou tout atik ki gen plis pase valè sik ajoute ki rekòmande pou yon jounen (50 gram).

PASKE, sik ajoute nan alimantasyon rezidan New York yo se yon faktè enpòtan pou maladi ki souvan touye moun, epi ki koute anpil kòb pou trete maladi tankou dyabèt tip 2,¹ maladi nan kè,² maladi nan fwa,³ moun ki gen twòp pwa oswa moun ki twò gwo,⁴ ak plizyè kansè.⁵

PASKE, maladi ak pwoblèm medikal sa yo ap ogmante nan NYC, espesyalman nan kominote nwa ak latino yo.⁶ Kominote sa yo te deja gen yon gwo nivo inegalite anvan pandemi a.⁷

PASKE, pifò nan maladi ak pwoblèm medikal sa yo pamipigwo faktè ki pa anba ki lakòz moun entène ak mouri ak COVID-19.⁸

PASKE, gen twòp atik yo sèvi nan chèn restoran ki nan NYC ki gen 50 gram (12.5 ti kiyè kafe) oswa plis sik ajoute nan yon sèl pòsyon.⁹ Daprè nòm FDA¹⁰ li reprezante yon jounen sik ajoute.

PASKE, konsomatè ak fanmi nan New York yo merite pou yo jwenn tout enfòmasyon yo, pou yo kapab fè chwa ki bon pou sante a.

PASKE, 85% rezidan nan Vil New York sipòte demann ki fèt pou egzije gen yon avètisman sou meni chèn restoran ki gen atik ki gen plis pase yon jounen sik ajoute, daprè yon sondaj ki te fèt nan lane 2021.¹¹

Öganizasyon_____ Dat_____

Non Moun pou Kontakte a (tanpri ekri li yon fason ki klè an lèt detache)_____

Siyati Moun pou Kontakte a_____

Mwen otorize pou siyen fòm sa a nan non öganizasyon mwen an: O Wi

Adrès Ri a_____ Vil_____ Kòd Postal_____

Telefòn_____ Imèl_____

Pi bon fason pou nou kontakte w: Imèl Telefòn Mesaj Tèks

-
- ¹ Malik, V. S., & Hu, F. B. (2019). Sugar-sweetened beverages and cardiometabolic health: An update of the evidence. *Nutrients*, 11(8), 1840.
- Schwingshackl, L., Hoffmann, G., Lampousi, A. M., Knüppel, S., Iqbal, K., Schwedhelm, C., et al. (2017). Food groups and risk of type 2 diabetes mellitus: A systematic review and meta-analysis of prospective studies. *European Journal of Epidemiology*, 32(5), 363–375.
- ² Malik & Hu (2019)
- Pacheco, L. S., Lacey Jr, J. V., Martinez, M. E., Lemus, H., Araneta, M. R. G., Sears, D. D., et al. (2020). Sugar-sweetened beverage intake and cardiovascular disease risk in the California Teachers Study. *Journal of the American Heart Association*, 9(10), e014883.
- ³ Wijarnpreecha, K., Thongprayoon, C., Edmonds, P. J., & Cheungpasitporn, W. (2016). Associations of sugar-and artificially sweetened soda with nonalcoholic fatty liver disease: A systematic review and meta-analysis. *QJM: An International Journal of Medicine*, 109(7), 461-466.
- Chen, H., Wang, J., Li, Z., Lam, C. W. K., Xiao, Y., Wu, Q., & Zhang, W. (2019). Consumption of sugar-sweetened beverages has a dose-dependent effect on the risk of non-alcoholic fatty liver disease: An updated systematic review and dose-response meta-analysis. *International Journal of Environmental Research and Public Health*, 16(12), 2192.
- Hydes, T. J., Ravi, S., Loomba, R., & E Gray, M. (2020). Evidence-based clinical advice for nutrition and dietary weight loss strategies for the management of NAFLD and NASH. *Clinical and Molecular Hepatology*, 26(4), 383–400.
- ⁴ de Ruyter, J. C., Olthof, M. R., Seidell, J. C., & Katan, M. B. (2012). A trial of sugar-free or sugar-sweetened beverages and body weight in children. *New England Journal of Medicine*, 367(15), 1397-1406.
- Sigala, D. M., & Stanhope, K. L. (2021). An exploration of the role of sugar-sweetened beverage in promoting obesity and health disparities. *Current Obesity Reports*, 10(1), 39-52.
- Deal, B. J., Huffman, M. D., Binns, H., & Stone, N. J. (2020). Perspective: Childhood obesity requires new strategies for prevention. *Advances in Nutrition*, 11(5), 1071–1078.
- ⁵ American Institute for Cancer Research (2021). "Sugar-sweetened drinks: Increase risk of obesity and overweight" [webpage]. Available at <https://www.aicr.org/cancer-prevention/food-facts/sugar-sweetened-drinks/>
- ⁶ Woolf SH, Chapman DA, Sabo RT, Weinberger DM, Hill L. Excess deaths from COVID-19 and other causes, March-April 2020. *JAMA*. 2020;324(5):510–513.
- Arasteh, K. (2021). Hypertension, diabetes and poverty among Latinx immigrants in New York City: implications for COVID-19. *International Journal of Migration, Health and Social Care*, 17(2), 208-241.
- ⁷ New York City Department of Health and Mental Hygiene (2022). EpiQuery - Community Health Survey 2017. Available at: <https://nyc.gov/health/epiquery>
- ⁸ New York City Department of Health and Mental Hygiene (n.d.) "COVID-19: Prevention and groups at higher risk" [webpage]. Available at <https://www1.nyc.gov/site/doh/covid/covid-19-prevention-and-care.page>
- ⁹ Center for Science in the Public Interest (2021). Sweet excess: Largest restaurant chains consistently serve up drinks with more than a day's worth of added sugars. A restaurant survey. Available at: https://www.cspinet.org/sites/default/files/attachment/Soda%20Sizes%20Fact%20Sheet_FINAL.pdf
- ¹⁰ U.S. FDA (2022). "Added Sugars on the New Nutrition Facts Label." [webpage]. Available at <https://www.fda.gov/food/new-nutrition-facts-label/added-sugars-new-nutrition-facts-label>
- ¹¹ Center for Science in the Public Interest (2021). "New York added sugars warning label poll." Available at <https://www.cspinet.org/resource/new-york-added-sugars-warning-label-poll>